





REV.	ECN. NO.	APPD.
A	14001161	<i>pin Chen</i>

NOTE: UNLESS OTHERWISE SPECIFIED
 1. DIMENSIONS SHALL BE INTERPRETED PER ANSI
 2. CAP TO BE POSITIONED IN THE CENTER OF HEADER
 3. PRODUCTION SPECIFICATION PER DWG. NO. 307-0100-082

4. MATERIAL OF ①, ② AND ③ ARE SHOWN ON DWG. NO. 307-0100-083.
 ④ HS54NNN-□

④ NONE: PACKING IN TRAY AND WITHOUT CAP
 T: PACKING IN TUBE AND WITHOUT CAP
 R: PACKING IN TAPE & REEL AND WITH CAP



SEC: D-D



HS5425*-□	25/50	54.80	53.40	48.00
HS5422*-□	22/44	48.80	47.40	42.00
HS5420*-□	20/40	44.80	43.40	38.00
HS5417*-□	17/34	38.80	37.40	32.00
HS5414*-□	14/28	32.80	31.40	26.00
HS5410*-□	10/20	24.80	23.40	18.00
HS5405*-□	5/10	14.80	13.40	8.00
PROD. NO.	NO. OF POS.	DIM. A	DIM. B	DIM. C

FOXCONN		HON HAI PRECISION IND. CO., LTD.	
NAME (INTENDED USE)		SHROUDED HEADER, SMT,	
PART NO. (INTENDED USE)		HS54 SERIES	
TITLE:		CUSTOMER DRAWING	
APPD:		DWG NO.: 307-0100-161	
CHKD:		SCALE SHEET REV.	
DR:		N/A 1/3 A	

RECOMMENDED P.C.B. LAYOUT


WITHOUT CAP

PACKING IN TRAY




WITHOUT CAP

PACKING IN TUBE



X ±	X ± 0.5°	UNITS	mm	NAME(INTENDED USE)	SHROUDED HEADER, SMT	FOXCONN HON HAI PRECISION IND. CO., LTD. TAIPEI, TAIWAN, R.O.C.
X ±	0.38	MAT'L		PART NO.(INTENDED USE)		TITLE: CUSTOMER DRAWING
.XX ±	0.25	.XX ±		APPD:	307-0100-161	DWG NO.: 307-0100-161
.XXX ±	.XXX ±	FINISH		CHKD:	307-0100-161	SCALE SHEET REV.
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF HON HAI PRECISION IND. CO., LTD. AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF HON HAI PRECISION IND. CO., LTD.			Q'TY	DR:	Jessie Peng 6/30/01	2/3 A



REV. ECN. NO. APPD.

FOXCONN

HON HAI PRECISION IND. CO. LTD.
TAIPEI, TAIWAN, R.O.C.

CUSTOMER DRAWING

DWG NO.: 307-0100-161

CHKD: *Wolfe Lin*

DR: *Jessie Peng* 6/30/01

X.±	X.± 0.5°	UNITS	mm
X.± 0.38	X.±	MAT'L	
.XX± 0.25	.XX±	FINISH	
.XXX±	.XXX±	Q'TY	

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF HON HAI PRECISION IND. CO. LTD. AND SHALL NOT BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF HON HAI PRECISION IND. CO. LTD.

HS5422*-R	22/44	72.0	68.40	34.20	45.4	49.1	400 PCS/REEL
HS5420*-R	20/40	72.0	68.40	34.20	41.4	45.1	400 PCS/REEL
HS5414*-R	14/28	56.0	52.40	26.20	29.4	33.1	400 PCS/REEL
PROD. P/N	NO. OF POS.	DIM.A	DIM.B	DIM.C	DIM.D	DIM.E	Q'TY PER REEL