
PRODUCT-DETAILS**1LE23231CB316AA3****No Description Available**

General Information

Global Commercial Alias	1LE23231CB316AA3
Product ID	7B1LE23231CB316AA3
ABB Type Designation	MOTOR,5,1800,SD100 LM, 230/460,184T
Catalog Description	No Description Available

Additional Information

ABB Type Designation	MOTOR,5,1800,SD100 LM, 230/460,184T
Ambient Temperature	40 °C
Bearing	6206, Ball
Bearing NDE	6206
Brake Present	No
Brand / Label	ABB NEMA Motors
Catalog Number	1LE23231CB316AA3
Country of Origin	Mexico (MX)
Customs Tariff Number	8501520400
Drive End Flange Type	Standard
Efficiency Level	Premium Efficiency (NEMA 12-12)
Electrical Data	

Current

An error has occurred while processing HtmlTextBox ":

The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":

The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":

The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":

The expression contains undefined function call GetListItemValue().

Enclosure Type

TEFC

Explosion Proof Group

Class I, Group A, B, C & D



Freq

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

Power

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

Speed

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

Voltage

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

Class	
Frame Material	Cast Iron
Frame Size	Undefined
Global Commercial Alias	1LE23231CB316AA3
Gross Volume	0.434 hl
Gross Weight	60 lb
IP Class	IP55
Insulation Class	F
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Foot Mounted
Motor Frame Size	184T
Mounting Orientation	Horizontal
Mounting Position	F1
NEMA Design Code	B
Number of Phases	3
Number of Poles	4
Number of Poles (High)	4
Number of Speeds	single_speed
Order Multiple	1 piece
Output Power	5 Hp 3 Hp
Power Factor	80.5 %
Product Name	LVM Severe Duty - GDL (SD100)
Product Net Depth / Length	0 in
Product Net Height	0 in
Product Net Weight	57 lb
Product Net Width	0 in
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	13 A 6.5 A
Rated Efficiency	89.5 %
Rated Speed	1471 r/min 1755 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Standards	NEMA
Starting of Motor	Direct on line
Stocked At (Warehouses)	Fort Smith Ar, United States Tlajomulco de Zuniga, Mexico
	1800 r/min
Temperature Class	T3
Type of Duty	Continuous
Voltage Rating	230 V 460 V

